Jun 14th 1026 Paped M.g. 1828 Inaugural Essay on the altered condition Tousue Frederick Homer of Va. Jan: 11 1828

lugs les ando nol of torque lases as M Condo inflar brane chan car oreco affecti

Whill a relident pupil in the Alms how of this city the enem ins remarks, for the most factorally appearances of the longer were made and are more thereing to seche, being copied from my note book or jour. had of cases.

It is very questionable whether the longer be at all appeled in those din cases in which the mucous signed an not implicated primarily ordecondarily; it is frequently been in inflammations of the serous Membershamed that it undergoes little as no change when the former are unconcouncil, as in simple mania and the affections. The Stornact folipsing as however, so mide a feeled of sym-

Wicec affecti dune had bu course former the fold the ale and of local of the the con the asp in por con of aciro und at in frinkle marriad exich' and no pathies that few diseases occur where it does not more or less become affected and what hitherto has been duried a symptom of the original, has only been in truth an effect of a consecution mischief. The Membran forming the covering of the tougue and that living the internal surface of the alimentary Canal being continuous and of Similar Structure; it is rea-Sonable to infer that when any own of the siscera between which this is the connecting Mudium, is clisiased, the aspect of the tougue presents an important quede in forming an opin ion of the existence, extent and charactiv of the affection: disease may exist in ow or mow of the Deserva; and may appear either in an acute

Jones

or chi more a and ec it cen of these aux ap he more ed in enlarg and el the pay by wich of the So often

or chrome form, in which order the appearanced of the longer will be considered - This organ may at-Sum a randy of aspects during the existence of diseaso: its natural red colour May be exchanged for one till mon deef, it may be come dark, how and even black- wholly or factuallyits centre and bake, or either may be of these hues swerally, while its margins and after an of a bright red: it may he increased or lepended in sozo = altered in Structure or shape; its papille enlarged or diminished: their colour and elevation hightened or lepened: the papilla have been deemed peculiar by indicative of the state of the villi of the mucous membranes which are So often the uneus preted hears of clisiass

troma cel in ity of applie the tous downs he coup if the contine fu le. Lunes rica f its aces the cons he come edged. and that mula

In cases of flight initation of the Stomach anxins either from an excefs in quantity of ingesta or in qualily of the articles received into it and applied directly to its museous kurface the tougue is covered with a slight then downy and white coating: which may he confined to the centre or base or not if the initating cause he repeated and continued for any length of time, the fur becomes much thickened and as Sums a darker how : should it be can med faither Still, phlogoris ensus; its advance is faithfully marked by the condition of the tougue, which how be comes enlarged, indented on the edged by contact with the teeth; mon and than matural on the edges andtip mon loaded especially at the base and

ce tre. sour e Weste and 2h Mury les anach lumos thuby which by the ? of mit to, and Kurew trum, 2 hativa ? aspeara trep - 6 its rost

centre, with there are ofton hausea Som emclations and fatie buth Unetics have here been recommended and should the initation he not just May be highly beneficial by inducing an action of the refels of the Stomach Surmounting that previous by existing: thereby attering their Lecutions upon which may defend the disordered condition of that viscus as inclication by the tougue; should however the point of initation supercide the own refund to, and much phlogodis be present Known generally by propring the Epigas trium, the mausia and frequent inclihation to round - they only tend to aggrarate and increase the gastic distrip - the toujus how does not desut its post, but like a watchful centinel

for: in dericle the wh is col. Kunte his of attener dicati ho, th the tentine of where him it is him Micho of ma. word Mation Lukuga Sy: the hee-t her tu Staner.

Rounds out the proper of the suradius foe: its colour becomes of a still mon decided red which is more Several the white mucaus coalises is dimine ished: the papilla mon clirated and pointed and in proportion to the inter-Lity of the inflammation is the organ attend: a bight scarlet colour indicates an active state of inflamma how, this is commonly seen in the Sts machs of annhances and those quelly of guat excepts: In marine a floto which originales in inordinate timeulation of the Stomach te followed by Subsequent deprepion of necrous ener-Sy: the tougue is of a bright scarlet hue thin, polished and fointed and very tremulous, inability in many in-Stances to protude it : defection theres

the mos much. Wool As almost ou it: augaviscus 1 monade very the ever fail appeara Then for a con int time tousus

the most unequivocal signs of inflammation - the Defects of the Stomach much destructed and innumerable. Stars or dots of now vekels over the Whole Aurface of the Mucous Montane almost including a belief at a little distance that blood had been smeared over it: the coat itself collected into mga- traversing the Surface transouser by , in low instanced the logo of the viscus much diminished, in others incuased: the panetes thickened or very thing the duo denum scarcely ever fails to present some or all of these appearances-

When Jattie disorder has existed for a considerable time and the small what the street - the tonger is but very loved - the tonger is left new before but very

Doils he fund Councid het of the for · cirtur , hoch the Cor ecer must of fevers_ ame it

much loaded - it may be propulen to amark that much difference pre-Dails between the terms loaded and fund: the first implies its being covered with a thick, tenacious or mat ted mucus sinerally of a white colour but often brown and of a dopy consist times: the latter- has Loft, long thickly Let velli. resembling delvet as if frow ins out of the Lunface of the tams us the former is at frash moust and belongs mon particularly to affections of the Stomach: while the latter may be either moust or dry - or is found when both the Stomach and intestines are concerned: both an mut with in most of the summer and autumnal fevers - ansing from march exhalation and it is well known how much the

heat of the low astu de burow e reviede. ana ga Mate of in alter oning to to ker tipered_ of the R Reved. the Ston

Prima ria an implicated; at first When much initability of Llowach, heat of Skins excited pulse te, exist the tousure is dry, loaded and white after Several acceptions of the hot Stage it becomes how and dry, during the Sweating; moist and Loft, but the brown coat continues, after appropriate remedial measures have been taken and gastrie destrip subdued: it class on the edged and tip-Aspers finable State of the Phin Seems very propinous in altering the condition of the longue owing to the great refrecely of action between the princous and dermoid tipues thus when we have greatheat of the Ruface and wild Loothing to Remedies are applied by Means of the Stomach and noturn as well as

maist o The 1 ment of dicin how Dec. Canal a which h. rationhilition ed to ag decade the buckage and mild loothing decated of the to. aparticl the thin itself the first size of an abatement of the symptoms will be an alteration in the aspect of the tripunds from being dry and parahed, becomes moist and soft.

The use of Catharties in the heatment of these affections has been so in dis criminate hitherto that little alter how seems to have been point to their unmoleate operation on the alimentary Canal and Induced from Leveral cases which have come under my own obserration I must conclude that their exhibition has in many instances lind ed to aggrarate rather than check the disease - this has been clearly indicated by the alteration in the aspect of the tousue and if this as has been aputed is kuch a diagnostic as

may be the tife allogeth only afec A 50 do un le lougen A tack a p it openas Lis and from of o ex une unu- to gunal o hu ral & enter by the alteration limiter refer find to an accas du this to

may be relied on in inflammation of this lifewe it is clear that instract of lefening the degree or destroy ing all altogether the existing disease, they only afish and establish it monfing A gentleman who felt unwell-had Some little fever, uneasimp of Stomach longen Some what White and coaled = took a fill of lealound and I cammony it operated both by Catharis and Eme sis and left him with most intense pain of Stomach with much hauleade extreme fain on propour of the Episastrium tougen red and folished, much Several disturbance intruse fever for Several Succeptive days; he was confined to lemonade alone at drink, an accasional date of Sal. Efstow undu this tratment he recovered in a few days

woth Alush to Ka much a Much arxiely ou propo Relen 1 tatiot -. 12 cb - 1 Scarles and we ou a the druks.

Another case occurred to me in the Alus house - The patient had slight Rheumatic pains in legs and and he took a small dose of colchieum- at night a Dover's putre the former parged most actively the over night: I found him next morning in extreme painmuch secural distrips, jacklation and anxiety of countenance - intendo pain on profins epigastium and abdomen full much by cited - quick and initation - head-ache - at times with dozzio seep- skin hot, dry and harsh = touse scarlet expecially at the edges and top and very dry- now of which Symptours existed before he look the Medicim - how ordered him to be leached over the stomach- cold demulcent drinks - cold flax Luce Mucilaginous

he was Acher Ca night, 10 mon de the tong cales to ce etre. hade as of ten re an alle bradec - ap. Enemate and formulations to abdomm he was couraliseent in three decyt, low you clean, moist and natural: Other cases illustration of the samuthing might be addressed did the occasion warrant it-

When the action blage of inflam mation shall have paper of symptom of initation may linger and noware mon de eicled than those presented by the bouger: they are however bery to rious in abacache and dagree with the centre or a thick dark patch on the bate and soot the sedger clean any often sed; it sop and shafe function and sout this business is plat and broad edger thick parrow and soud broad edger thick parrow and soud soud ed - after very fointed - the durface

hed Me of lieb: forted. and als Ly upo to of chron if recu

frequently of a dull red or mothled colour, with a slight coat of fur-some times of a Loddew aspect longitudihal and transverse superficial funous these a cen most commonly when there is but a slight remnant of disease; digestion not being to vigorous as it might be or who certain articles of food induce opposion and a sense of weight and distension: these are reinowed most effectually by a close adherever to regimen and du regulation of dich: a contracted, shrivelled and fointed tougue, any and Smooth white and almost bloodlep- is an alarmins Lymptoms occurring in protracted affer tions of the large intestines "our case of Chronic Colonitis which I have Leave it occurred and fost morten inspection

a lenoo days le of a bry ofdias care of aarans how o it, luy rein ap mal h that M. in the c. a cark

Showed ulcerations in the colow-layins bare the muscular coat. Sometime a smooth thining pelich forms outher Surface of the toujue which in a few days becomes crisp- cracks and feels off, leaving a smooth, clean, dry surface of a bright scarlet colour: this prepart by attends the most obstinate Kinds of dianhan accuring in protracted cases of fewer de- in Dyentery in the adranced flaged the longer becomes brown or black dry and thickly enconsted in its centre-deep fifeenes in its luface- its margins of a bight red appearing at other lines as if meal had been sprinkled ownit or that wilk had been drank - the fur in the centre is of a triangular shape a dark strip is sometimes seen extende

to coffthe longe notura try my m af Rhis aux hea ed the fo

ing down the centre from bale to tip which continues till death takes place The black colour seems to defind al to jether on the drying process: as it is Seldow that we her a black moist Surface: this thickly malled coat of black fur may easily be macera tool off In derrying that. the tought forms a diagnostic in the affections of the serous tipues I may mention that in Phrenitis and Hydro cephalus it is inravally clean and natural - Some few cases to the contrany may happen, it is true-butin these much gastrio and intestinal deraugement existi: the same remark applies to Pliniery te - In Phothisis and hetie fever few have not remark ed the florid, Rolished and Rufactly

the or

clean aspect of the tengue con times In while the close of the allack when the digestion is so agh to become investigation and the paired and the paired to structure of Stomach by initability and hauten of Stomach to such a degree as to feeted any food being received into it.

In feritomeal information, in fair carde his vete the same remarks are applicables.

